



SAFETY DATA SHEET

Triple S, Stainless Saw Saver

1. Product And Company Identification

Product Name: Triple S, Stainless Saw Saver

Manufacturer: Whitehall Engineering
2624 Crescent Club Drive
Hixson, TN. 37343
Bewatergy@AOL.COM

Telephone Number: 423-595-3442

Date of Preparation: 10/16/19

Product Use: Saw,drill bit cutting enhancer

Restriction on Use: Not for food contact or food applications.

2. Hazards Identification

Classification:

Physical	Health
Not Hazardous	Eye Irritation Category 2A Skin Irritant Category 2

Warning!



Hazard statement(s)

Causes skin irritation.
Causes serious eye irritation.

Precautionary statement(s)

Wash hands thoroughly after handling.
Wear protective gloves, protective clothing and eye protection.

Precautionary statement(s)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

3. Composition/Information on Ingredients

Component	CAS No.	Amount
Acetic Acid	64-19-7	5-29%
Water	7732-18-5	70-94%
Trade Secret	Trade Secret	1%

The specific identity and/or exact percentage has been withheld as a trade secret.

4. First Aid Measures

Inhalation: Remove to fresh air. If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth, if possible. If irritation persists, get medical attention.

Skin Contact: Immediately flush skin with water for several minutes after contact. Remove any contaminated clothing and wash it before reuse. If irritation persists, get medical attention.

SAFETY DATA SHEET

Triple S, Stainless Saw Saver

Eye Contact: Flush eyes with water while lifting the upper and lower lids for at least 15-20 minutes. Remove contact lenses if present and easy to do, after the first 5 minutes; then continue flushing. Get medical attention if irritation persists.

Ingestion: If the person is alert, have them rinse their mouth with water and give 1 glass of water to sip. Do not induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Immediately call a doctor or poison center.

Most important symptoms/effects, acute and delayed: Causes serious eye irritation. Causes skin irritation. May be harmful if swallowed. Inhalation of vapors may cause mucous membrane and upper respiratory irritation.

Indication of immediate medical attention and special treatment, if necessary: If ingestion or eye contact occurs, get medical attention.

5. Firefighting Measures

Suitable (and unsuitable) extinguishing media: Use any media appropriate for the surrounding fire.

Specific hazards arising from the chemical: Not flammable or combustible. Combustion may produce oxides of carbon.

Special protective equipment and precautions for fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Wear personal protective as described in Section 8.

Environmental hazards: Avoid release into the environment. Report spill as required by local and federal regulations.

Methods and materials for containment and cleaning up: Dilute spilled liquid with water. Large spills can be neutralized with dilute solutions of soda ash or lime. Collect with an absorbent material and collect into a suitable container for disposal.

7. Handling and Storage

Precautions for safe handling: Avoid contact with eye and skin. Avoid breathing vapors. Wear protective clothing when handling. Wash thoroughly after handling. Use with adequate ventilation. Wash contaminated clothing before reuse. Discard contaminated leather items like shoes and belts that cannot be decontaminated. Keep out of reach of children and pets. DO NOT mix with other household cleaning agents.

Conditions for safe storage, including any incompatibilities: Keep from freezing. Store only in original tightly sealed container and out of the reach of children.

8. Exposure Controls / Personal Protection

CHEMICAL	EXPOSURE LIMIT
Acetic Acid	10 ppm TWA OSHA PEL 10 ppm TWA, 15 ppm STEL ACGIH TLV
Water	None Established

Ventilation: Use outdoors or with adequate ventilation to maintain exposure levels below the exposure limits above.

Respiratory Protection: If the exposure limits are exceeded, wear an approved respirator for organic vapors. Follow OSHA regulations and good industrial hygiene practice in the selection and use of respirators.

SAFETY DATA SHEET

Triple S, Stainless Saw Saver

Gloves: Neoprene or other impervious gloves are recommended.

Eye Protection: Safety goggles recommended.

Other Protective Equipment/Clothing: Wear protective clothing as needed to avoid skin contact.

9. Physical and Chemical Properties

Appearance: Liquid with light blue color. **Odor:** Vinegar odor

Odor threshold: 0.21 – 1 ppm (acetic acid)	pH: 2.1 to 2.8
Melting point/freezing point: ~30°F	Boiling point/ Boiling Range: 215°F
Flash point: None	Evaporation rate: Not determined
Flammability (solid, gas): Not applicable	
Flammable limits: LEL: 4% (acetic acid)	UEL: N/A
Vapor pressure: 11 mmHg @ 20°C (acetic acid)	Vapor density: 2.1 (acetic acid)
Relative density: 1.025	Solubility in Water: Completely soluble
Partition coefficient: n-octanol/water: -0.17 (acetic acid)	Auto-ignition temperature: Not determined
Decomposition temperature: Not determined	Viscosity: Not determined

10. Stability and Reactivity

Reactivity: Not normally reactive.

Chemical stability: Stable

Possibility of hazardous reactions: Reacts with bases generating heat.

Conditions to avoid: Avoid freezing and excessive heat.

Hazardous decomposition products: Thermal decomposition may produce oxides of carbon.

11. Toxicological Information

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. High concentrations of acetic acid vapor may cause pulmonary edema.

Skin Contact: Causes skin irritation and possible burns on prolonged contact.

Eye Contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed. Causes mouth, throat, and gastrointestinal irritation.

Chronic Hazards: None known.

Carcinogen: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Mutagenicity: None of the components have been shown to cause germ cell mutagenicity.

Reproductive Toxicity: None of the components have been shown to cause reproductive or developmental toxicity.

Acute Toxicity Values:

Acetic Acid: Oral Rat LD50: 3310 mg/kg; LD50 skin rabbit 1060 mg/kg; LC50 inhalation rat 11.4 mg/L/4 hr.

12. Ecological Information

Ecotoxicity:

Acetic Acid

LC50: Fathead minnow (*Pimephales promelas*) 79 mg/L/96 hr

EC50: *Daphnia magna* 6000 mg/L/24 hr

Persistence and degradability: Readily biodegradable.

Bioaccumulative potential: Not bioaccumulative

Mobility in soil: No data available

SAFETY DATA SHEET
Triple S, Stainless Saw Saver

Other adverse effects: None known.

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations.

14. Transport Information

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT	None	Not Regulated			

Note: Similar products have been tested and have been determined to not be corrosive as defined in the DOT regulations.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form.

Special precautions: None known.

15. Regulatory Information

Safety, health, and environmental regulations specific for the product in question.

CERCLA Section 103: This product has an RQ of 25,000 based on the RQ of acetic acid of 5000 lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Acute Health.

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

California Proposition 65: This product contains the following substances known to the State of California to cause cancer and/or reproductive harm (birth defects): None

16. Other Information

NFPA Rating (NFPA 704): Health: 2 Fire: 0 Instability: 0
HMIS Rating: Health: 2 Fire: 0 Physical Hazard: 0

SDS Revision History: Converted to GHS format – All sections revised. **Date of preparation:** 10/16/2019

Date of last revision: 10/16/2019

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. **UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.**